Dkt. 2271/75585

UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Eisuke HORI et al.

Serial No.: 10/559,150

Group Art Unit: 2861

Date Filed: June 21, 2004

Examiner: Anh T.N. Vo

For:

Paul Teng

Reg. No. 40,83

LIQUID CONTAINER, SUB TANK, LIQUID DISCHARGE APPARATUS, LIQUID

SUPPLY APPARATUS, AND IMAGINIG APPARATUS

Date

with the U.S. Postal Service	orrespondenceis being deposited this date ce with sufficient postage as first class mail to: Commissioner for Patents, P.O. Box 3131450.
To leave	POOS 05 2009

30 Rockefeller Plaza, 20th Floor New York, New York 10112 (212) 278-0400

MAIL STOP RCE **COMMISSIONER FOR PATENTS** P.O. BOX 1450 **ALEXANDRIA, VA 22313-1450**

REQUEST FOR CONTINUED EXAMINATION (RCE) TRANSMITTAL

Sir:

This is a Request for Continued Examination under 37 C.F.R. §1.114 of the above-

identi	fied application	o n.	
1	Consider the unentered amendment under 37 C.F.R. § 1.116 filed on		
2	Consider the	arguments in the Appeal Brief or Reply Brief filed on	
3. <u>X</u>	Enclosed is/a	re	
	<u>X</u>	Amendment (including transmittal)/Reply.	
		Information Disclosure Statement (IDS).	
		PTO-1449	
		Copies of IDS Citations	
	_	Other (identify):	

01/23/2009 NNGUYEN1 00000040 10559150

01 FC:1801

810.00 OP

4	Small entity status under 37 C.F.R. § 1.27 is claimed.	
		A verified statement to establish small entity status is enclosed.
		A verified statement to establish small entity status was previously filed and such status is still proper and desired.
5. <u>X</u>	A check in tl	he amount of \$ <u>810.00</u> covering the RCE filing fee is enclosed.
6. <u>X</u>		Office is hereby authorized to charge the following fees, or credit any eayment, to Deposit Account No. <u>03-3125</u> .
		RCE fee required under 37 C.F.R. § 1.17(e).
		Extension of time fee (37 C.F.R. §§ 1.136 and 1.17).
	<u>X</u>	Other fees (identify): any other required fees.

Respectfully submitted,

Paul Teng, Reg. No. 40,837 Attorney for Applicant Cooper & Dunham LLP 30 Rockefeller Plaza, 20th Floor New York, New York 10112 (212) 278-0400